

Appendix A - Health and Wellbeing Board Performance Metrics - January 2019

Updated indicators are in bold	Frequency	Latest Period of Availability	Previous Available Period (Lewisham)	Latest Available Period (Lewisham)	London	England	England Benchmark	Direction from Previous Period	Data Source
Overarching Indicators									
1a Life Expectancy at Birth (Male)(yrs)	Annual	2014-2016	78.8	79.1	80.4	79.5	similar	↑	ONS
1b Life Expectancy at Birth (Female)(yrs)	Annual	2014-2016	83.1	83.3	84.2	83.1	similar	↑	ONS
2 Under 75 mortality rate from CVD (DSR)	Annual	2015-2017	82.2	80.7	73.2	72.5	similar	↓	PHOF 4.04i
3 Low Birth Weight of all babies (%)	Annual	2016	7.1	7.3	7.6	7.3	similar	↑	P00455/CHIMAT Profile 2015
4 Number of practitioners trained in Making Every Contact Count (behaviour change training)	Quarterly	Q1 2018/19	90	27	-	-	-	-	Lewisham Public Health
Priority Objective 1: Achieving a Healthy Weight									
5 Excess weight in Adults (%)	Annual	2016/17	57.9	57.8	55.2	61.3	similar	↓	PHOF 2.12
6a Excess weight in Children - Reception Year (%)	Annual	2017/18	22.2	17.6	21.8	22.4	sig lower	↓	PHOF 2.06i
6b Excess Weight in Children - Year 6 (%)	Annual	2016/17	39.0	37.9	37.7	34.3	sig high	↓	PHOF 2.06ii
7 Maternal Excess Weight at <13 weeks gestation(%)	Quarterly	Q2 2018/19	50.7	45.7	-	-	-	↓	Lewisham & Greenwich Trust Data
8 Breastfeeding Prevalence 6-8 weeks (%)	Quarterly	Q1 2018/19	79.2	79.4	-	44.4	sig higher	↑	NHS ENGLAND
Priority Objective 2: Increasing the number of people who survive colorectal, breast and lung cancer for 1 and 5 years									
9a Cancer screening coverage - breast cancer (%)	Annual	2017	66.0	66.7	65.9	72.1	sig lower	↑	PHOF 2.20i
9b Cancer screening coverage - cervical cancer(%)	Annual	2017	69.1	69.0	65.2	71.7	sig lower	↓	PHOF 2.20ii
9c Cancer screening coverage - bowel cancer (%)	Annual	2017	46.6	47.0	50.3	59.6	sig lower	↑	PHOF 2.20iii
10 Early diagnosis of cancer (%)	Annual	2016	50.2	52.4	51.9	52.6	similar	↑	PHOF 2.19 – experimental statistics
11 Conversion of Two Week Wait Referrals to Cancer Diagnosis (%)	Annual	2016/17	4.2	4.3*	5.3*	7.6*	sig lower	↑	PHE Fingertips Cancer Services Portal
12 Under 75 mortality from all cancers (DSR)	Annual	2015-2017	149.4	146.7	123.6	134.6	sig high	↓	NHSIC - P00381/ PHOF 4.05i
Priority Objective 3: Improving Immunisation Uptake									
13 Uptake of the second dose of Measles Mumps and Rubella Vaccine (MMR2) at five years of age (%)	Quarterly	Q2 2018/19	83.5	85.3	74.8	86.4	similar	↑	COVER Programme
14 HPV Vaccine Update (All Doses) %	Annual	2017/18	75.5	79.5	81.0	83.1	sig lower	↑	Public Health England - via www.gov.uk
15 Uptake of Influenza vaccine in persons 65+ years of age %	Annual	2017/18	67.5	67.4	66.9	72.6	sig lower	↓	PHOF 3.03xiv
Priority Objective 4: Reducing Alcohol Harm									
16 Alcohol related admissions (ASR per 100,000 pop)	Annual	2016/17	601	522	529	636	sig lower	↓	PHOF 2.18
Priority Objective 5 : Preventing the uptake of smoking among children and young people and reducing the numbers of people smoking									
17 Smoking Prevalence in adults (18+) - current smokers (APS)(%)	Annual	2017	21.2	15.5	14.6	14.9	similar	↓	PHOF 2.14
18 4 week smoking quitters (crude rate per 100,000)	Annual	2017/18	2,203	2,329	2075	2,070	similar	↑	Smoking Quitters
19 Smoking status at time of delivery (%)	Annual	2017/18	4.8	5.4	5.0	10.8	sig lower	↑	PHE Tobacco Profiles
Priority Objective 6: Improving Mental Health and Wellbeing									
20 Prevalence of Serious Mental Illness (%)	Annual	2017/18	1.31	1.33	1.11	0.94	sig high	→	Quality Outcomes Framework
21 Prevalence of Depression 18+ (%)	Annual	2017/18	7.0	8.2	7.1	9.9	sig lower	↑	Quality Outcomes Framework
22 Improving Access to Physiological Therapies (IAPT) referrals entering treatment (%)	Annual	To Nov 2018	15.3	20.0	-	-	-	↑	SLaM
23 Proportion of those accessing IAPT who moved to recovery (%)	Annual	To Nov 2018	48.0	49.0	-	-	-	↑	SLaM
Priority Objective 7: Improving Sexual Health									
24 Rate of chlamydia diagnoses per 100,000 young people aged 15 to 24 (crude rate)	Annual	2017	4,735	2,573	2,199	1882	sig higher	↓	PHOF 3.02i/3.02ii (NCSP & CTAD)
25 People presenting with HIV at a late stage of infection (%)	Annual	2015-2017	37.3	39.6	35.2	41.1	similar	↑	PHOF 3.04
26 Legal Abortion rate for all ages (crude rate per 1000 women aged 15-44 yrs)	Annual	2017	23.1	23.1	19.8	16.5	sig high	→	ONS Abortion Stats

Appendix A - Health and Wellbeing Board Performance Metrics - January 2019

Updated indicators are in bold	Frequency	Latest Period of Availability	Previous Available Period (Lewisham)	Latest Available Period (Lewisham)	London	England	England Benchmark	Direction from Previous Period	Data Source
27 Teenage conceptions (Rate per 1,000 15-17 Yr olds)	Annual	2016	23.4	22.1	17.1	18.8	similar	↓	PHOF 2.04
Better Care Fund Metrics									
28 The proportion of those aged 65+ who received reablement services after hospital discharge	Annual	2017/18	2.3	4.0	3.8	2.9	-	↑	Better Care Fund, NHS England
29 Residential Admissions Rate (per 100,000 65+ population)	Annual	2017/18	687.4	541.2	406.2	585.6	-	↓	Better Care Fund, NHS England
30 Average daily rate of delayed transfers of care (per 100,000 population aged 18+)	Annual	2017/18	7.3	5.7	-	12.4	-	↓	Better Care Fund, NHS England
31 Non-Elective Admissions (per 100,000 population)	Annual	2017/18	-	-	-	-	-	-	Better Care Fund, NHS England

Key

sig high - significantly higher than England; sig low - significantly lower than England
 similar - statistically similar to England
 DSR - Directly Standardised Rates
 ASR - Age Standardised Rates
 ISR - Indirectly standardised Rates
 PHOF - Public Health Outcome Framework

	Latest period highlighted
	Statistically Better than England
	Statistically Similar to England
	Statistically Worse than England
	Blank where no statistical comparison could be made

Arrows Indicate up or down performance of current year /qtr from previous yr/qtr

Links to Source with their abbreviations

<http://www.phoutcomes.info/>
<http://www.phoutcomes.info/profile/sexualhealth>
<https://www.indicators.ic.nhs.uk/webview/>
<http://www.hscic.gov.uk/qof>
<http://ascof.hscic.gov.uk/>
<http://www.productivity.nhs.uk/>
<https://www.nhscomparators.nhs.uk/NHSComparators/HomePage.aspx>

Public Health Outcomes Framework (PHOF)
 Public Health England Sexual Health Profiles
 NHS Indicator Portal (NHSIC) by Health and Social Care Information Centre (HSCIC)
 Quality and Outcomes Framework (QOF) by HSCIC
 Adult and Social Care Outcomes Framework (ASCOF)
 NHS Better Care Better Value Indicators
 NHS Comparators by HSCIC







* Data Quality Issue has been reported with this indicator, interpret with caution

Overarching Indicator

Health Outcome Indicator Rates

	Target	2006-08	2007-09	2008-10	2009-11	2010-12	2011-2013	London 2010-12	England 2010-12	Direction of Travel from Target
Life Expectancy at Birth (Male)(yrs)		76.3	76.4	76.9	77.6	78.2	78.7	79.7	79.2	
Life Expectancy at Birth (Female)(yrs)		81.2	81.6	81.7	82.3	82.6	83.0	83.8	83	
Under 75 from CVD mortality (DSR)		132.3	119	110.3	96.7	91		83.1	81.1	
Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	N/A				6	6.6				
Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	N/A				6.3	6.6				
Infant Mortality rates					4.8	4.9		4.2	4.3	
				2009-11	2010-12	2011-13		Lon 2011-13	Eng 2011-13	
Potential Years of Life Lost (PYLL) from causes considered amenable to healthcare (DSR)				2134.7	2102.0	2027.0		1890.2	2023.5	
		2008	2009	2010	2011	2012		Lon 2012	Eng 2012	
Low Birth Weight of all babies					8.3	8.4		7.9	7.3	↑
				2011/12	2012/13	2013/14				
Proportion of people using social care who receive self-directed support, and those receiving direct payments (Crude rate per 100,000)					55.5	69.4		67.5	62.1	
Delayed transfers of care from hospital (crude rate per 100,000)				3.0	4.9			6.9	9.5	↑
Days of Delay (crude rate per 100,000)					134					↑
				2010	2011			Lon 2011	Eng 2011	
Children in poverty (%)				31.7	30.5			26.5	20.6	




Trend Charts



Priority 1 : Achieving Healthy Weight

	Target	2009/10	2010/11	2011/12	2012/13	2013/14	London 2012/13	England 2012/13	Direction of Travel from Target
Excess weight in Adults (%)					61.2		57.3	63.8	
Excess weight in Children - Reception Year (%)		27.8	24.8	24.8	25.0		23.0	22.2	
Excess Weight in Children- Year 6 (%)		40.6	39.1	40.4	38.3		37.4	33.3	
Breastfeeding Prevalence 6-8 weeks(%)			74.6	75.7	73.5		68.5	47.2	
			2010	2011	2012		London 2012	England 2012	
% of physically active and inactive adults - Active adult:					54.3		57.2	56.0	
% of physically active and inactive adults - Inactive adult:					29.2		27.5	28.5	






Trend Charts



Priority 2 : Increasing the number of people who survive colorectal, breast and lung cancer for 1 and 5 years

	Target	2009	2010	2011	2012	2013	London 2013	England 2013	Direction of Travel from Target
Cancer screening coverage - breast cancer (%)			64.5	65.5	65.1	66	68.6	76.3	
Cancer screening coverage - cervical cancer(%)			71.7	71.4	71.9	72.4	68.6	73.9	
Two week wait referrals (number per 100,000 population)			1601	1810	1967	2273		2166	
		2012/13 Q4	2013/14 Q1	2013/14 Q2	2013/14 Q3	2013/14 Q4	S.E London 2013/14 Q3	England 2013/14 Q3	
Cancer screening coverage - bowel cancer (%)	60.0	44.2	44.2	38.2	35		41.4	58.8	
		2010	2011	2012			London 2012	England 2012	
Early diagnosis of cancer (%)					2273			2166	
		2006-08	2007-09	2008-10	2009-11	2010-12	London 2010-12	England 2010-12	
Under 75 mortality from all cancers (DSR)		172.8	173.5	168	169.4	159.9	139.1	146.5	

Trend Charts








Priority 3: Improving Immunisation Uptake

Percentage Uptake of Key Vaccines

	Target	2013/14 Q1	2013/14 Q2	2013/14 Q3	2013/14 Q4	2014/15 Q1	London 2014/15 Q1	England 2014/15 Q1	Direction of Travel from Target
Uptake of the first dose of Measles Mumps and Rubella vaccine (MMR1) at two years of age	90.8%	85.7%	88.5%	87.3%	88.3%	85.5%	86.8%	92.4%	↓
Uptake of the third dose of Diphtheria vaccine (D3) at one year of age	91.9%	86.7%	88.4%	88.3%	88.9%	90.0%	88.6%	93.9%	↓
Uptake of the fourth dose of Diphtheria vaccine (D4) at five years of age	91.1%	71.3%	70.5%	74.4%	76.2%	76.2%	77.3%	88.6%	↓
Uptake of the second dose of Measles Mumps and Rubella Vaccine (MMR2) at five years of age	91.1%	68.8%	68.1%	69.8%	69.5%	70.8%	79.9%	88.5%	↓
			2010/11	2011/12	2012/13	2013/14	London 2012/13	England 2012/13	
Uptake of Human Papilloma Virus (HPV) vaccine in girls in Year 8 in Lewisham Schools			68.8	80.6	84.8		78.9	86.1	↑
Uptake of influenza vaccine in those over 65 years of age			69.6%	70.1%	68.2%		71.2%	73.4%	↑

Source: HPA Cover Data


Trend Charts



Priority 4 : Reducing Alcohol Harm

	Target	2009/10	2010/11	2011/12	2012/13	2013/14	London 2012/13	England 2012/13	Direction of Travel from Target
Alcohol related admissions (DSR)	-	-	-	588	614	-	554	637	
Number of practitioners skilled in identifying those at risk from alcohol harm and delivering brief interventions (Local source)	-	-	-	-	120	-			

Trend Charts








Priority 5 : Preventing the uptake of smoking among children and young people and reducing the numbers of people smoking

Tobacco Control

	Target	2006-08	2007-09	2008-10	2009-11	2010-12	London 2010-12	England 2010-12	Direction of Travel from Target
Under 75 Mortality from Respiratory		51.3	49.7	47	40.9	38.6	32.6	33.5	
		2008	2009	2010	2011	2012	London 2012	England 2012	
Under 75 Mortality from Lung Cancer		30.39	24.92	26.68	35.78	21.0	23.04	24.06	
Smoking Prevalence (18+) - routine and manual					25.4	24.3	25.7	29.7	
		2013/14 Q1	2013/14 Q2	2013/14 Q3	2013/14 Q4	2014/15 Q1	London 2013/14	England 2013/14	
4 week smoking quitter (crude rate per 100,000)		200.3	197.4	197.3	180.7	172.6	656	688	
Smoking at time of delivery		5.9%	4.9%	5.3%	5.2%	5.4%		11.8%	
				2008	2010				
Number of 11-15 year-olds who take up smoking (%)				16.0%	9.0%				
Number of children in smoke free homes (%)				56.0%	57.0%				
Prevalence of Smoking in 15 year olds (proxy: % Never smoked at all - Yr8 and Yr10 children)				95.0%	74.0%				






Trend Charts



Priority 6 : Improving mental health and wellbeing

	Target	2009/10	2010/11	2011/12	2012/13	2013/14	London 2011/12	England 2011/12	Direction of Travel from Target
Under 75 mortality rates for those with serious mental illness (DSR)		302.2	303.6	305.3			-	337.4	
Prevalence of SMI				1.2	1.2		1.0	0.8	
Prevalence of Dementia		0.3	0.3	0.3	0.3		0.4	0.6	
Prevalence of Depression		10	10.1	10.4	5.3		4.4	5.8	
Self-reported well-being - people with a low happiness score				15	10.2		10.3	10.4	
		2007-09	2008-10	2009-11	2010-12		London 2010-12	England 2010-12	
Suicide rates		6.9	7	7.1	7.5		7.5	8.5	






Trend Charts



Priority 7 : Improving sexual health

	Target	2009	2010	2011	2012	2013	London 2013	England 2013	Direction of Travel from Target
** old data - 2012									
Rate of chlamydia diagnoses per 100,000 young people aged 15 to 24 (crude rate)			4728	4762	4179	3480	2179	2016	
Prevalence of diagnosed HIV infection per 1,000 among persons aged 15 to 59 years (crude rate)**			7.5	7.8	7.9		5.5	2.1	
Legal Abortion rate for all ages (crude rate per 1000 women)		32.3	29.9	32.3	27.4	26.6	21.7	16.1	
Teenage conceptions**		48.5	41.8	39.9	42.0		25.9	27.7	
				2009-11	2010-12		London 2010-12	England 2010-12	
People presenting with HIV at a late stage of infection(%)				51.8	50.9		44.9	48.3	




Trend Charts



Priority 8 : Delaying and reducing the need for long term care and support.

	Target	2009/10	2010/11	2011/12	2012/13	2013/14	London 2012/13	England 2012/13	Direction of Travel from Target
social care related quality of life (%)	19		17.7	17.9	18.3	18.6	18.4	19	
Rate of new 65+ admissions to long term care (crude rate per 100,000)	549.4	931.2	854.3	560.7	612.9	527	509.4	668.4	
% older people (65+) still at home 91 days after discharge from hospital into rehabilitation/reablement services	88.0	88.2	88.6	89.4	86.5	86.9	88.9	81.9	

Trend Charts



Priority 9 : Reducing the number of emergency admissions for people with long term conditions

	Target	2009/10	2010/11	2011/12	2012/13	2013/14 (Prov)	London 2013/14 (Prov)	England 2013/14 (Prov)	Direction of Travel from Target
Rate of avoidable emergency admissions (Std rate per 100,000 pop)		14.52	1061.2	1029	1027.6	940.9	734.6	780.9	
					2012/13	2013/14	London 2013/14	England 2013/14	
% people able to manage effectively their own long term condition at home				58.1	62.3	61.1	59.7	65.1	
							London 2012/13	England 2012/13	
Reviews of Adult Social Care Clients (%)	70	74.7	62	64.4	77.9	70.7	69.8	66.6	
								England 2011/12	
Emergency Readmissions within 30 days of discharge from hospital		12.11	11.96	12.73				11.78	
				Jul 2011 - Mar 2012	Jul 2012 - Mar 2013	Jul 2013 - Mar 2014	London Jul 2012 - Mar 2013	England Jul 2012 - Mar 2013	
Health-related quality of life for people with long-term conditions					0.73	0.75	0.75	0.75	0.74
			2010/11	2011/12	2012/13	2013/14 (Prov)	London 2013/14	England 2013/14	
Emergency admissions for acute conditions that should not usually require hospital admission			1147.8	1155.8	1324.8	1279.4	991	1164.7	
			2010/11	2011/12	2012/13	2013/14(Prov)	London 2013/14 Prov	England 2013/14 Prov	
Unplanned admission of chronic ambulatory care sensitive conditions			1061.2	1029.0	1027.6	940.9	734.6	780.9	

Trend Charts

